

Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 8/3/2014

Street: 26th and High St

Incident #: 14ISPC006514

Apt, Lot, Room #:

County: Cass

City: Logansport

Type of Laboratory Seizure (check one)

- ☒ Lab Seizure
☐ Chemical Seizure
☐ Equipment Seizure
☐ Dumpsite Seizure

Seizure Location (check all that apply)

- ☐ Residence ☐ Hotel/Motel
☐ Outbuilding ☐ Open – No Structure
☒ Vehicle ☐ Business
☐ Other: _____

Apt., hotel, multi-family dwelling: Shared HVAC: ☐ Yes ☐ No ☐ Unknown

Items Found: Location (bedroom, kitchen, open air, etc) (check all that apply)

- ☐ One Pot or Birch Reaction(s): _____
☐ Red Phosphorous/Iodine Reaction(s): _____
☒ Hydrochloric Acid Gas Generator(s): truck
☒ Flammable Solvents: truck
☐ Water Reactive Metal (Lithium): _____
☐ Anhydrous Ammonia: _____
- ☐ Corrosive Acid: _____
☐ Corrosive Base: _____
☒ Ammonium Nitrate/Sulfate: truck
☒ Other (item and location): salt and pseudo
(truck)

Child under age 18 discovered (check appropriate)

- ☐ Yes _____ (number present)
☒ No
☐ Children not present but evidence they reside
or visit often

Living conditions of home: ☐ clean ☐ disarray
☐ unclean
Estimated length of time manufacturing had been
occurring: _____
Additional Information: _____

Vehicle, Travel Trailer, RV or Watercraft Information:

Owner: Donald Barnes
VIN: 1FTCR14X6RPB16761
Year: 1994

Make: Ford
Model: Ranger
Color: Black

This report has been faxed* or emailed to the following agencies that serve the location:

Fire Department: Logansport FD Fax: firechief@cityoflogansport.org
Health Department County: Cass Co Fax: eric.eldridge@co.cass.in.us
Department of Child Services Hotline: dcshotlinereports@dc.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact
Investigating Officer: Mike Lorona Phone 7650473-6666

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.